PSR pilot Oral report screening tool.

For use in PSR pilot courts only

## PSR pilot Oral report screening tool.

This tool is to enable PSR writers to screen report requests from the three cohort groups of Women, and under 25 and those at risk of custody.

This criteria list be will smaller than the complexity issues assessed when oral reports are produced in non-pilot courts. Please see Pre-Sentence Reports: Interim Guidance on Report Format Feb 2019.

Equip link: <a href="https://equip-">https://equip-</a>

<u>portal.rocstac.com/ctrlwebisapi.dll?\_\_id=webMyTopics.searchOne&k=225&as\_sfid=</u>AAAAAAX6HSw1JSCJlzwui79T

In order to determine if cases are suitable for oral reports in PSR Pilot Courts please check the complexity levels listed below;

| Q1 SAFEGUARDING                        |               |
|--|---------------|
| Any child or adult Safeguarding        | Please select |
| concerns?                              |               |
| Q2 TRAUMA                              |               |
| Evidence of past trauma connected to   | Please select |
| current offending behaviour?           |               |
| Q3 DOMESTIC ABUSE                      |               |
| Evidence to suggest previous victim or | Please select |
| perpetrator of DV?                     |               |
| Q4 MENTAL HEALTH                       |               |
| Evidence of mental health issues       | Please select |
| connected to current offending         |               |
| behaviour?                             |               |
| Q5 MATURITY                            |               |
| Is an adjournment required in order to | Please select |
| conduct a more detailed maturity       |               |
| assessment?                            |               |
| Q6 CUSTODY                             |               |
| Impact of custody on children and/or   | Please select |
| undermining protective factors from    |               |
| immediate custodial sentence?          |               |

If **No** is answered to above questions, then safe to proceed to oral reports delivery for Cohort cases.